

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Addiese: COMMISSIONER FOR PATENTS P O Box 1450 Alexandria, Virginia 22313-1450 www.wepto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/559,704	12/07/2005	Taisuke Hirooka	60303.55/ok	1845
54070 7590 03/31/2011 HITACHI METALS, LTD.			EXAMINER	
C/O KEATING & BENNETT, LLP			GARCIA, CARLOS E	
1800 Alexando SUITE 200	er Bell Drive		ART UNIT	PAPER NUMBER
Reston, VA 20	0191		2627	
			NOTIFICATION DATE	DELIVERY MODE
			03/31/2011	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

JKEATING@KBIPLAW.COM uspto@kbiplaw.com pmedley@kbiplaw.com

Office Action Summary

Application No.	Applicant(s)	Applicant(s)				
10/559,704	HIROOKA ET AL.					
Examiner	Art Unit					
CARLOS E. GARCIA	2627					

	CARLOS E. GARCIA	2627				
The MAILING DATE of this communication appe Period for Reply	ears on the cover sheet with the c	orrespondence ad	dress			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Exercisors of time rays be available under the provisions of 37 OFR 1.13 of 1.15 of	TE OF THIS COMMUNICATION 6(a). In no event, however, may a reply be tin ill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this o D (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 20 De	ecember 2010.					
2a) ☐ This action is FINAL . 2b) ☐ This	action is non-final.					
 Since this application is in condition for allowan 			merits is			
closed in accordance with the practice under E.	x parte Quayle, 1935 C.D. 11, 45	53 O.G. 213.				
Disposition of Claims						
4) Claim(s) 23,25-39 and 44-46 is/are pending in t	the application.					
4a) Of the above claim(s) is/are withdraw	n from consideration.					
Claim(s) is/are allowed.						
 Claim(s) <u>23.25-39 and 44-46</u> is/are rejected. 						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or	election requirement.					
Application Papers						
9) The specification is objected to by the Examiner						
10) The drawing(s) filed on is/are: a) acce	epted or b) objected to by the I	Examiner.				
Applicant may not request that any objection to the o	drawing(s) be held in abeyance. See	9 37 CFR 1.85(a).				
Replacement drawing sheet(s) including the correction	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).					
11) The oath or declaration is objected to by the Exa	aminer. Note the attached Office	Action or form P1	O-152.			
Priority under 35 U.S.C. § 119						
12) ☐ Acknowledgment is made of a claim for foreign a) ☐ All b) ☐ Some * c) ☐ None of:	priority under 35 U.S.C. § 119(a)	i-(d) or (f).				
 Certified copies of the priority documents 	have been received.					
Certified copies of the priority documents	have been received in Applicati	on No				
Copies of the certified copies of the priori	•	ed in this National	Stage			
application from the International Bureau						
* See the attached detailed Office action for a list of	of the certified copies not receive	ed.				
Attachment(s)						
1) M Notice of References Cited (RTO 993)	4) Intensions Summans	(PTO 412)				

Attachment(s)		
Notice of References Cited (PTO-892)	Interview Summary (PTO-413)	
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Date	
Information Disclosure Statement(s) (PTO/SB/08)	 Notice of Informal Patent Application 	
Paper No/s/Mail Date	6) Othor:	

Application/Control Number: 10/559,704 Page 2

Art Unit: 2627

FINAL REJECTION

Claim Rejections - 35 USC § 112

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

contemplated by the inventor of carrying out his invention.

2. Claim 45 is rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. Specifically, on line 2 the term "a flat signal layer" is not described in the original specification. Therefore, this term will be given the broadest interpretation.

- 3. The following is a quotation of the second paragraph of 35 U.S.C. 112:
 - The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- Claim 45 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Specifically for claim 45, the term "a flat signal layer" appears to redefine the previous limitation of "an intermediate layer". Since this term is not clearly defined, it will be interpreted as any flat layer made of metal for example.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all
obviousness rejections set forth in this Office action:

Application/Control Number: 10/559,704

Art Unit: 2627

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

 Claims 23, 32-39 and 44-46 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sato et al. (US 5894388; 'Sato') in view of Applicant admitted prior art (AAPA).

Re claims 23 and 36-37: Sato discloses a thin-film magnetic head substrate (see Fig.1 for instance) comprising:

a base 12 with a principal surface (top surface of 12 in Fig.1); and
an undercoat film 3, which is made of an aluminum oxide and which covers the
principal surface of the base, an electrical/magnetic transducer 1 being provided on the
undercoat film:

wherein the substrate further includes an intermediate layer 2 between the principal surface of the base and the undercoat film;

the intermediate layer is made of a material other than the aluminum oxide (permalloy for example), has been patterned so as to make a portion of the principal surface of the base contact with the undercoat film (col.6, lines 3-26), and has an opening where the electrical/magnetic transducer is not located (the area where layer 2 does not cover base 12); and

the base is a single monolithic layer (as shown in Fig. 1) arranged to be the bottom-most layer of the thin-film magnetic head substrate; and

in a region other than the opening of the intermediate layer (any other region of layer 2 as shown in Fig.1-2), as viewed in a direction perpendicular to the principal surface of the base (Fig.2):

the intermediate layer is present between the undercoat film and the

base (as interpreted from Fig.1); and

the undercoat film is not in contact with the base (Fig.1).

However, Sato fails to explicitly disclose:

the ceramic base, as recited in claim 23.

Furthermore Sato fails to explicitly disclose:

wherein the ceramic base is made of an alumina-based ceramic material, $\underline{a}\underline{s}$

recited in claim 36

or

wherein the ceramic base further includes a carbide or nitride carbonate of a metal, as recited in claim 37.

AAPA clearly suggests that slider substrates (pages 4 [0007]) are typically made of ceramic based materials such as Al_2O_3 -TiC, due to its excellent thermal and mechanical properties necessary for slider bodies.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to form the base 1 of Sato using the material as suggested by AAPA in order to obtain a slider body with excellent properties required of a slider body.

Furthermore, Sato as modified by AAPA discloses the claimed invention except for explicitly stating the alumina-based ceramic material includes 24 mol % to 75 mol % of a-Al₂O₃ and at most 2 mol % of an additive.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to further modify the ceramic based material composition to improve the thermal and/or mechanical properties of the slider body, since it has been held to be within the general skill of a worker in the art to select a known material on the basis of its suitability for the intended use as a matter of obvious design choice. In re Leshin, 125 USPO 416 (CCPA 1960).

Re claims 32 and 35: Sato discloses the claimed invention except for wherein the intermediate layer has a thickness of 1 nm to 1 μ m, as recited in claim 32 and wherein the undercoat film has a thickness of 10 nm to 1 μ m, as recited in claim 35.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the thicknesses of each layer for the purpose of changed the conductive and/or magnetic characteristics of each layer, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. In re Aller, 105 USPQ 233 (CCPA 1955).

Re claim 33: Sato further discloses wherein the intermediate layer 2 is made of a metal film or a Si film (permalloy in col.6, lines 15-19).

Application/Control Number: 10/559,704

Art Unit: 2627

Re claim 34: Sato further discloses wherein the intermediate layer 2 is made of a material selected from the group consisting of Cu, alloys including Cu, Cr, alloys including Cr, and Si (sendust in col.6, lines 15-19).

Re claim 38: Sato further discloses the thin-film magnetic head slider (as shown in Fig.2) comprising: the thin-film magnetic head substrate of claim 23; and the electrical/magnetic transducer, which is provided on the undercoat film of the thin-film magnetic head substrate (as discussed above regarding claim 23).

Re claim 39: Sato further discloses a hard disk drive comprising the thin-film magnetic head slider of claim 38 (col.1, lines 6-21).

Re claim 44: Sato also discloses (for the same reasons as claim 23) a method of making a thin-film magnetic head slider, the method comprising the steps of:

preparing the thin-film magnetic head substrate of claim 23 (as discussed above for claim 23); and

fabricating the electrical/magnetic transducer on the undercoat film (as shown in Fig. 1).

Re claim 45: Sato further discloses wherein the intermediate layer is a flat signal layer that is formed on the principal surface of the ceramic base (since layer 2 is a flat layer and interacts with magnetic signals).

Re claim 46: Sato further discloses wherein the intermediate layer is in contact with both of the undercoat film and the ceramic base in the region other than the opening of the intermediate layer, as viewed in a direction perpendicular to the principal surface of the ceramic base (as shown in Fig.1).

 Claims 23, 25-26, 36-39 and 44-45 are rejected under 35 U.S.C. 103(a) as being unpatentable over Edelman et al. (US 2005/0174687; 'Edelman') in view of AAPA. The teachings of AAPA have been discussed previously.

Re claims 23 and 36-37: Edelman discloses a thin-film magnetic head substrate (see Fig.5 for instance) comprising:

a base 118 with a principal surface (top surface of 118 in Fig.5); and
an undercoat film 134, which is made of an insulating material and which covers
the principal surface of the base, an electrical/magnetic transducer 116 being provided on
the undercoat film:

wherein the substrate further includes an intermediate layer 122 between the principal surface of the base and the undercoat film;

the intermediate layer is made of a material other than the aluminum oxide (lower pole 122 cannot be made of an insulating material such as aluminum oxide, see [0029-0030]), has been patterned so as to make a portion of the principal surface of the base contact with the undercoat film (Fig.5), and has an opening where the electrical/magnetic transducer is not located (the area where layer 122 does not cover base 118); and

the base is a single monolithic layer (as shown in Fig.5) arranged to be the bottom-most layer of the thin-film magnetic head substrate; and

in a region other than the opening of the intermediate layer (any other region of layer 122 as shown in Fig.5), as viewed in a direction perpendicular to the principal surface of the base (Fig.5):

the intermediate layer is present between the undercoat film and the base (as interpreted from Fig.5); and

the undercoat film is not in contact with the base (Fig.5).

Furthermore, Edelman mentions that insulating materials such as aluminum oxide can be used for the insulating layers and composite materials of AITiC, TiC, and aluminum oxide can be used for the substrate [0026].

However, Edelman fails to explicitly disclose:

the ceramic base, as recited in claim 23.

Furthermore Edelman fails to explicitly disclose:

wherein the ceramic base is made of an alumina-based ceramic material, \underline{as} recited in claim 36

or

wherein the ceramic base further includes a carbide or nitride carbonate of a metal, as recited in claim 37.

AAPA clearly suggests that slider substrates (pages 4 [0007]) are typically made of ceramic based materials such as Al_2O_3 -TiC, due to its excellent thermal and mechanical properties necessary for slider bodies.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to form the base 118 of Edelman using the material as suggested by AAPA in order to obtain a slider body with excellent properties required of a slider body.

Furthermore, Edelman as modified by AAPA discloses the claimed invention except for explicitly stating the alumina-based ceramic material includes 24 mol % to 75 mol % of α -Al₂O₃ and at most 2 mol % of an additive.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to further modify the ceramic based material composition to improve the thermal and/or mechanical properties of the slider body, since it has been held to be within the general skill of a worker in the art to select a known material on the basis of its suitability for the intended use as a matter of obvious design choice. In re Leshin, 125 USPQ 416 (CCPA 1960).

Re claim 25: Edelman further discloses wherein the electrical/magnetic transducer provided on the undercoat film includes:

a lower magnetic shield film 130;

a magneto-resistive element 132 arranged on the lower magnetic shield film; and an upper magnetic shield film 128, which has been deposited on the lower magnetic shield film so as to cover the magneto-resistive element, and wherein the intermediate layer has been patterned so as to cover the entire projection of the magneto-resistive element on the principal surface of the ceramic base (Fig.5).

Re claim 26: Edelman further discloses wherein the intermediate layer has been patterned so as to cover the entire projection of the lower magnetic shield film on the principal surface of the ceramic base (Fig.5).

Re claim 38: Edelman further discloses the thin-film magnetic head slider (as shown in Fig.5) comprising: the thin-film magnetic head substrate of claim 23; and the electrical/magnetic transducer, which is provided on the undercoat film of the thin-film magnetic head substrate (as discussed above regarding claim 23).

Re claim 39: Edelman further discloses a hard disk drive comprising the thin-film magnetic head slider of claim 38 [0001-0004].

Re claim 44: Edelman also discloses (for the same reasons as claim 23) a method of making a thin-film magnetic head slider, the method comprising the steps of:

preparing the thin-film magnetic head substrate of claim 23 (as discussed above for claim 23); and

fabricating the electrical/magnetic transducer on the undercoat film (as shown in Fig.1).

Re claim 45: Edelman further discloses wherein the intermediate layer is a flat signal layer that is formed on the principal surface of the ceramic base (since layer 122 is a flat layer and interacts with magnetic signals).

 Claims 27-29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sato in view of AAPA further in view of Hirooka (US 2003/0036025; hereinafter Hirooka '025). The teachings of Sato as modified by AAPA have been discussed previously.

Re claims 27-29: Sato as modified by AAPA disclose the claimed invention except for wherein a portion of the intermediate layer makes an alignment mark for use in positional alignment, as recited in claim 27; wherein a portion of the intermediate layer makes a pattern representing identification information, as recited in claim 28; or wherein the identification information includes information about the identity of the ceramic base, as recited in claim 29.

Hirooka '025 teaches a technique of recording different identifiers as used on thin-film magnetic heads (see abs; para.0004-0009). Furthermore, Hirooka '025 teaches the process of recording identifiers on an Al₂O₃-TiC type ceramic wafer 60 by placing a thin film 65 of metal material on a top surface of the ceramic layer 60 (para.0105-0107; Fig.8A-8D). The thin metal film 65 is patterned to a desired identifying mark, using the process illustrated in Fig.8A-8D. Additionally, Hirooka '025 suggests a method of placing identifier on multiple ceramic wafers (para.0086).

Therefore, a person of ordinary skill in the art would have recognized that applying the known technique of recording an identifier made of a metallic film as taught

Art Unit: 2627

by Hirooka '025 and placing such identifier film over a surface of the ceramic layer of the magnetic thin film substrate of the Sato and AAPA for the purpose identifying the slider, would have yielded predictable results and would provided a way to identify the slider.

9. Claims 30-31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sato in view of AAPA and Hirooka '025 further in view of Hirooka (JP 2004-127442; hereinafter Hirooka '442). The teachings of Sato as modified by AAPA and Hirooka '025 have been discussed previously.

Re claims 30-31: Sato as modified by AAPA and Hirooka '025 disclose the claimed invention except for wherein the pattern representing the identification information has been recorded on a plurality of areas of the principal surface of the ceramic base, mutually different pieces of the information being distributed to the respective areas, as recited in claim 30; or wherein the areas are arranged so as to form multiple different thin-film magnetic heads when the substrate is divided, as recited in claim 31.

The prior art of Hirooka '442 also teaches the known technique of placing an identification information on a surface of the substrate layer of a slider or multiple sliders during manufacturing (para.0049-0055). Furthermore, Hirooka '442 teaches that the substrate can include an alignment mark (para.0076-0077) on the slider or the identification information is unique to each substrate and that such information can be placed on multiple slider bodies during manufacturing (Fig.1-5) (see para.0020-0031), as recited in claims 30-31.

Therefore, a person of ordinary skill in the art would have recognized that applying the known technique of using the alignment mark or identification information pattern for slider substrates layers, either on the substrate principal layer or other layers placed on the substrate, for the purpose of aligning the slider and providing identification data for the slider would have yielded predictable results and would have eased the manufacturing process of the slider substrates.

Response to Arguments

 Applicant's arguments with respect to the claims have been considered but are moot in view of the new ground(s) of rejection.

The reference of Edelman is re-considered due to the amendments presented and therefore reapplied to the claims.

Conclusion

- The prior art made of record in PTO-892 Form and not relied upon is considered pertinent to applicant's disclosure.
- 12. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, THIS ACTION IS MADE FINAL. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period

will expire on the date the advisory action is mailed, and any extension fee pursuant to $37\,$

CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event,

however, will the statutory period for reply expire later than SIX MONTHS from the date of this

final action.

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to CARLOS E. GARCIA whose telephone number is (571)270-

1354. The examiner can normally be reached on M-Th 9am-5pm F 9am-5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Craig Renner can be reached on 571-272-7580. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Carlos E Garcia/ Examiner, Art Unit 2627

3/24/2011

/Craig A. Renner/ Supervisory Patent Examiner, Art Unit 2627